

# Sonstige Themen

## Ärzte

Klaus Weinert  
 Facharzt für Kinder- und Jugendmedizin in Köln  
 Görlinger-Zentrum 5 - 7  
 50829 Köln  
 Tel +49 221 508887  
 Fax +49 221 80064591

Praxis Gerald S. Langner  
 Facharzt für Kinder- und Jugendpsychiatrie und Psychotherapie  
 => Fr. Dr. Paul  
 Vogelsanger Str. 106-108  
 50823 Köln  
 Tel +49 221 5708330  
 Fax +49 221 57083366

Gemeinschaftspraxis Bocklemünd  
 Görlinger-Zentrum 5 - 7  
 50829 Köln  
 Tel.: +49 221 501349

<b>Öffnungszeiten (Nachmittags nur mit Termin)</b>		
<b>Montag</b>	08:00 - 11:00 Uhr	15:30 - 18:00 Uhr
<b>Dienstag</b>	08:00 - 11:00 Uhr	15:30 - 18:00 Uhr
<b>Mittwoch</b>	08:00 - 11:00 Uhr	
<b>Donnerstag</b>	08:00 - 11:00 Uhr	15:30 - 18:00 Uhr
<b>Freitag</b>	08:00 - 11:00 Uhr	

Hausarzt Dr. med. Alexander Lang  
 Grevenbroicher Str. 25  
 50829 Köln  
 Tel.: +49 221 508111

<b>Öffnungszeiten</b>		
<b>Montag</b>	09:30 - 12:00 Uhr	16:00 - 18:00 Uhr
<b>Dienstag</b>	09:30 - 12:00 Uhr	16:00 - 18:00 Uhr
<b>Mittwoch</b>	09:30 - 12:00 Uhr	
<b>Donnerstag</b>	09:30 - 12:00 Uhr	16:00 - 18:00 Uhr
<b>Freitag</b>	09:30 - 12:00 Uhr	16:00 - 18:00 Uhr

## Syntaxhighlighting

```
@media (max-width: 664px) {
  .wp-block-group:not(.alignfull):not(.alignwide) > .wp-block-
group__inner-container > * {
    width: 302px;
  }
}
```

## SQL

```
SELECT mass.DisplayText Assignment, mc.CustomerId, mc.ShortName,
COUNT(mc.CustomerId) Counter
  FROM masCustomerAccumulation mca
      INNER JOIN masCustomer mc ON mc.CustomerId = mca.Customer_Id
      INNER JOIN masAccumulation macc ON macc.AccumulationId =
mca.Accumulation_Id
      INNER JOIN masAssignment mass ON mass.AssignmentId =
macc.Assignment_Id
WHERE mass.DisplayText IN ('Food', 'Gas')
GROUP BY mass.DisplayText, mc.CustomerId, mc.ShortName
ORDER BY Assignment, Counter DESC, ShortName
```

## Visual Basic

```
Case "PROSKURNIN", "CAMES", "INTERTABAK", "MACK", "SZZ", "BRUECK"
  Filename = CreatingFilename(pRow("LocalFilePath").ToString,
pRow("LocalFilePrefix").ToString, strTakeorderNumber, "CSV")
  Dim OutputFile As CSVFile = New CSVFile(Filename)
  If Organisation = "CAMES" Then
    OutputFile.ExportMode = "Plain"
    OutputFile.CustomerFields = {"KdNr beim Spediteur", "Name",
"Bestellnummer", "Bestelldatum", "Bestellino", "Position", "Artikelnummer",
"Menge", "Mengeneinheit", "GTIN", "Preislistenname", "Packungen
pro Karton", "Inhalt", "Preis", "Preisliste"}
    OutputFile.Export(pRow, strTakeorderNumber, OriginOfOrder, relation)
  ElseIf Organisation = "SZZ" Then
    OutputFile.ExportSZZ(pRow, strTakeorderNumber, OriginOfOrder,
relation)
  ElseIf Organisation = "BRUECK" Then
    OutputFile.ExportMode = "Excel"
    OutputFile.CustomerFields = {"Name", "Strasse", "PLZ", "Ort",
"Bestellnummer", "Bestelldatum", "Bestellino", "Position", "Artikelnummer",
"Menge", "Mengeneinheit", "Preislistenname", "Preis",
"Preisliste", "Packungen pro Karton", "Inhalt"}
    OutputFile.Export(pRow, strTakeorderNumber, OriginOfOrder, relation)
  Else ' PROSKURNIN, MACK und INTERTABAK
```

```

        OutputFile.ExportMode = "Excel"
        OutputFile.Export(pRow, strTakeorderNumber, OriginOfOrder, relation)
    End If

```

## C#

```

if (possibleCustomerIds.Count < 1)
{
    if (cust.DisplayName.Equals("TGV, Sindelfingen",
StringComparison.OrdinalIgnoreCase))
    {
        possibleCustomerIds = await reader.CustomerIdGet(new
FindCustomer("TGV Süd", "1003060", true));
    }
    else if (cust.DisplayName.Equals("Fütterer, St. Leon Rot",
StringComparison.OrdinalIgnoreCase))
    {
        possibleCustomerIds = await reader.CustomerIdGet(new
FindCustomer("Fütterer, Tabak", cust.CustomerNumber, true));
    } ...
}

```

## XML

```

<?xml version="1.0" encoding="iso-8859-15"?>
<Auftrag>
  <Kopf>
    <Order_Num>0000304362</Order_Num>
    <Order_Dat>20201211</Order_Dat>
    <Liefer_Datum_Wunsch />
    <JTI_GLN_Num>4032800000009</JTI_GLN_Num>
    <GH_GLN_Num>4399901095458</GH_GLN_Num>
    <Name1_WE>Schuller, Margot</Name1_WE>
    <Name2_WE>Lädle Tee & Geschenke</Name2_WE>
    <Strasse_WE>Flamingoweg 1</Strasse_WE>
    <Ort_WE>Stuttgart</Ort_WE>
    <PLZ_WE>70378</PLZ_WE>
    <KdNr_WE_beim_Spediteur>10109</KdNr_WE_beim_Spediteur>
    <KdNr_WE_beim_Lieferant>0000802831</KdNr_WE_beim_Lieferant>
    <Order_Info>ä=ae; Ä=Ae, ö=oe; Ö=Oe; ü=ue; Ü=Ue; ß=sz</Order_Info>
  </Kopf>
  <Positionen>
    <Position>
      <ID>1</ID>
      <GTIN>4032800066821</GTIN>
    </Position>
  </Positionen>
</Auftrag>

```

```
<JTI_ArtNr>PR_42150</JTI_ArtNr>
<JTI_ArtText>WINSTON RED LONGS BP XXL</JTI_ArtText>
<JTI_PricelistName>WINSTON RED LONGS BP XXL</JTI_PricelistName>
<PacksPerCarton>8</PacksPerCarton>
<Content>29</Content>
<Price>8.0000</Price>
<PriceList>Z079E</PriceList>
<Menge>1</Menge>
<MengenArt>CAR</MengenArt>
<Position_Info />
</Position>
<Position>
  <ID>2</ID>
  <GTIN>4032800054736</GTIN>
  <JTI_ArtNr>PR_42135</JTI_ArtNr>
  <JTI_ArtText>WINSTON VOLUME RED GIANT BOX</JTI_ArtText>
  <JTI_PricelistName>WINSTON VOLUME RED GIANT BOX</JTI_PricelistName>
  <PacksPerCarton>1</PacksPerCarton>
  <Content>280</Content>
  <Price>49.9500</Price>
  <PriceList>F037E</PriceList>
  <Menge>1</Menge>
  <MengenArt>PAC</MengenArt>
  <Position_Info />
</Position>
</Positionen>
</Auftrag>
```

## SMTP

```
To: "G=MG1;S=MGATE;CN=MG1 MGATE;O=TESTAG;P=MGATE;A=VIAT;C=DE"
<49603@viaT.de>
From: "G=ipm;S=tester;O=testag;A=viaT;C=de" <49637@viaT.de>
Message-ID: 614 07/11/13
X-MPDUID: 8B0663A011DCEC4417009682
Date: 13 Nov 2010 13:10:22 +0100
Subject: Test mit 3 Bodyparts
Disposition-Notification-To: "G=ipm;S=tester;O=testag;A=viaT;C=de"
MIME-Version: 1.0
Content-Type: multipart/mixed; boundary="MG_=_CA610D0211DC91E900007CAD_=_MG"
--MG_=_CA610D0211DC91E900007CAD_=_MG
Content-Type: text/plain
Content-Transfer-Encoding: 8bit
Test äöüÄÖÜß
--MG_=_CA610D0211DC91E900007CAD_=_MG
Content-Type: application/octet-stream
Content-Disposition: attachment; filename="4d654d1d.zip"
```

From:

<https://wiki.moppert.de/> - **Familien Wiki**

Permanent link:

<https://wiki.moppert.de/doku.php?id=sonstiges&rev=1724331668>

Last update: **2024/08/22 13:01**

