

OpenProject

Die aktuelle Version beruht auf der Docker-Compose Variante aus den offiziellen Quellen. Das Projekt wurde per git in das Verzeichnis /home/lutz/projects/openproject geklont. Die folgenden Befehle sollten also in diesem Verzeichnis ausgeführt werden, da hierfür teilweise die Konfigurationsdateien angegeben werden müssen.

Funktion	Befehl
Starten	docker compose up
Stoppen	docker compose down

Migration auf einen neuen Server

Konfiguration

```
docker_host_name=www.moppert.de
DOCKER_HOST_NAME=www.moppert.de
ldap_hostdn=cn=openp-57276701,cn=memberserver,cn=computers,dc=moppert,dc=de
LDAP_HOSTDN=cn=openp-57276701,cn=memberserver,cn=computers,dc=moppert,dc=de
server_role=memberserver
SERVER_ROLE=memberserver
update_warning_releasenotes=no
UPDATE_WARNING_RELEASENOTES=no
nameserver_external=false
NAMESERVER_EXTERNAL=false
nameserver_option_timeout=2
NAMESERVER_OPTION_TIMEOUT=2
nameserver1=5.252.227.0
NAMESERVER1=5.252.227.0
repository_online_server=https://updates.software-univention.de/
REPOSITORY_ONLINE_SERVER=https://updates.software-univention.de/
repository_app_center_server=appcenter.software-univention.de
REPOSITORY_APP_CENTER_SERVER=appcenter.software-univention.de
update_secure_apt=yes
UPDATE_SECURE_APT=yes
ldap_base=dc=moppert,dc=de
LDAP_BASE=dc=moppert,dc=de
ldap_server_ip=127.0.0.1
LDAP_SERVER_IP=127.0.0.1
ldap_server_name=www.moppert.de
LDAP_SERVER_NAME=www.moppert.de
ldap_server_port=7389
LDAP_SERVER_PORT=7389
ldap_server_type=master
LDAP_SERVER_TYPE=master
```

```
ldap_server_sasl_mech_list=EXTERNAL gssapi DIGEST-MD5 CRAM-MD5 LOGIN SAML  
OAUTHBEARER PLAIN  
LDAP_SERVER_SASL_MECH_LIST=EXTERNAL gssapi DIGEST-MD5 CRAM-MD5 LOGIN SAML  
OAUTHBEARER PLAIN  
ldap_server_sortvals=uniqueMember memberUid  
LDAP_SERVER_SORTVALS=uniqueMember memberUid  
ldap_master=www.moppert.de  
LDAP_MASTER=www.moppert.de  
ldap_master_port=7389  
LDAP_MASTER_PORT=7389  
locale=en_US.UTF-8:UTF-8 de_DE.UTF-8:UTF-8  
LOCALE=en_US.UTF-8:UTF-8 de_DE.UTF-8:UTF-8  
locale_default=de_DE.UTF-8:UTF-8  
LOCALE_DEFAULT=de_DE.UTF-8:UTF-8  
domainname=moppert.de  
DOMAINNAME=moppert.de  
updater_identify=Docker App  
UPDATER_IDENTIFY=Docker App  
db_host=172.17.42.1  
DB_HOST=172.17.42.1  
db_port=5432  
DB_PORT=5432  
db_name=openproject  
DB_NAME=openproject  
db_user=openproject  
DB_USER=openproject  
db_password=27b8012c70227ac3651bfbed34e60bedf70332ec2854c67aae85bd5ab4e21659  
DB_PASSWORD=27b8012c70227ac3651bfbed34e60bedf70332ec2854c67aae85bd5ab4e21659  
postgres8_autostart=no  
POSTGRES8_AUTOSTART=no  
OPENPROJECT_ATTACHMENTS_STORAGE_PATH=/var/lib/univention-  
appcenter/apps/openproject/data/openproject/files  
OPENPROJECT_RAILS__RELATIVE__URL__ROOT=/openproject  
DATABASE_URL=postgres://openproject:27b8012c70227ac3651bfbed34e60bedf70332ec  
2854c67aae85bd5ab4e21659@172.17.42.1:5432/openproject  
OPENPROJECT_INSTALLATION__TYPE=univention  
LOCALE=en  
OPENPROJECT_HTTPS=true
```

Letzte Einträge



From: <https://wiki.moppert.de/> - Familien Wiki

Permanent link: <https://wiki.moppert.de/doku.php?id=tech:openproject&rev=1771606888>

Last update: 2026/02/20 17:01



